Town of Washington Inland Wetlands Commission November 22, 2022

Regular Meeting
Via Zoom Teleconference

MINUTES

Members Present: Mr. Papsin, Mr. Bennett, Mr. Koppel, Alt., Mr. Gendron

Members Absent: Ms. Audet, Ms. Bogue, Ms. Dubow

Staff Present: Ms. White, Ms. Haverstock

Public Present: Mr. Lemire

Regular Business

Mr. Papsin called the meeting to order at 7:02 p.m.

Members Seated: Mr. Papsin, Mr. Bennett, Mr. Gendron, Mr. Koppel (for Bogue)

Consideration of the Minutes:

11-9-2022 Regular Meeting Minutes:

Motion: To approve the Regular Meeting Minutes of 11-9-2022 as submitted, by Mr. Bennett, seconded by Mr. Gendron, passed by 4-0 vote.

Motion to Include Subsequent Business Not Already Posted on the Agenda:

None

Pending Applications:

Town of Washington/Bridge over E. Aspetuck – New Preston Hill Rd/Application for Permit #IW-22-57/Bridge Rehabilitation: Mr. Lemire of Cardinal Engineering was present to discuss this application.

Mr. Papsin noted that the IWC has questions and would like confirmation that a representative would be able to attend the site inspection scheduled for Wednesday, 11-30-22 at 3:30 p.m.

Mr. Lemire confirmed.

New Applications to be Received by the Commission:

No new applications

Other Business:

None

Enforcement and Compliance Initiatives:

Ms. Haverstock stated there are no enforcement issues to report. She informed the IWC that regular site visits are being made to active sites and the Land Use Office continues preapplication meetings to assist applicants through the permitting process.

Administrative Business:

None

Communications:

None

Adjournment:

Motion: to adjourn at 7:07, by Mr. Bennett, seconded by Mr. Gendron

Respectfully submitted by:

Shelley White

Shelley White Land Use Administrator 11-29-22

Minutes are subject to approval

Link to recording of meeting:

https://townofwashingtongcc-

 $\underline{my.sharepoint.com/:v:/g/personal/swhite} \ \ \underline{washingtonct} \ \ \underline{org/ERgAD7Jg2SpDINcEje8SMaQBG2DKApLNfQ} \\ \underline{fJxEZ3OvRz9g?e=4vbftM}$